



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
10P	10 - 11	10	0	55	1400 x 500 x 1400 360	1580 x 700 x 1050 440	2	69
15P	15 - 16	16	0	55	1400 x 500 x 1400 430	1580 x 700 x 1050 520	3	69
20P	20 - 22	25	0	55	1400 x 500 x 1400 490	1580 x 700 x 1050 590	4	69
30P	30 - 33	41	0	100	1650 x 850 x 1650 690	1800 x 850 x 1275 855	5	69
45P	45 - 50	55	0	100	1650 x 850 x 1650 755	2000 x 850 x 1275 930	5	69
60P	60 - 66	70	0	100	1650 x 850 x 1650 800	2000 x 850 x 1275 960	10	69
80P	80 - 88	95	0	120	2100 x 1000 x 1800 1010	2300 x 1050 x 1590 1285	14	69
100P	100 - 110	120	0	120	2100 x 1000 x 1800 1135	2300 x 1050 x 1590 1390	17	69
135P	135 - 149	155	0	250	2400 x 1100 x 2000 1600	3200 x 1100 x 2090 1930	22	69
150P	150 - 165	175	0	250	2400 x 1100 x 2000 1730	3200 x 1100 x 2090 2060	24	69
180P	180 - 198	210	0	250	2400 x 1100 x 2000 1740	3200 x 1100 x 2090 2070	30	69
200P	200 - 220	230	0	250	2400 x 1100 x 2000 1820	3200 x 1100 x 2090 2150	34	69
230P	230 - 250	260	0	250	2800 x 1310 x 1800 2115	3700 x 1400 x 2250 2780	38	69
250P	250 - 275	290	0	250	2800 x 1310 x 1800 2115	3700 x 1400 x 2250 2780	41	69
280P	280 - 308	325	0	250	2800 x 1310 x 1800 2500	3700 x 1400 x 2250 3160	46	69
300P	300 - 330	360	0	250	2800 x 1310 x 1800 2500	3700 x 1400 x 2250 3160	48	69
350P	350 - 385	405	0	400	2950 x 1550 x 2100 2580	4300 x 1750 x 2350 3245	54	69
400P	400 - 440	465	0	400	2950 x 1550 x 2100 3430	4300 x 1750 x 2350 4420	62	69
450P	450 - 495	555	0	400	3450 x 1550 x 2300 3870	4850 x 1850 x 2550 5080	72	69
500P	500 - 550	585	0	400	3450 x 1550 x 2300 3930	4850 x 1850 x 2550 5140	76	69
600P	600 - 660	700	0	400	3450 x 1550 x 2300 5060	5050 x 2150 x 2550 6400	90	69



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
650P	650 - 715	757	0	95	3450 x 1550 x 2300 5060	5450 x 2200 x 2550 6400	97	69
700P	700 - 770	800	0	110	3450 x 1550 x 2300 5360	5450 x 2200 x 2550 7680	118	69
750P	750 - 825	840	0	120	4100 x 2010 x 2400 5630	5450 x 2200 x 2550 7680	130	69
800P	800 - 880	900	0	130	4100 x 2010 x 2600 6400	5450 x 2200 x 2550 8070	140	69
900P	900 - 990	1028	0	140	5000 x 2100 x 2600 8075	6680 x 2200 x 3250 9710	162	69
1022P	1022 - 1125	1154	0	160	5000 x 2100 x 2600 8125	6680 x 2200 x 3250 9760	188	69
1125P	1125 - 1250	1269	0	188	5000 x 2100 x 2600 8230	6680 x 2200 x 3250 9865	196	69
1250P	1250 - 1375	1414	0	195	5000 x 2100 x 2600 9900	6680 x 2200 x 3250 11400	213	69
1360P	1360 - 1490	1540	0	210	5000 x 2100 x 2600 10350	6680 x 2200 x 3250 11850	225	69
1500P	1500 - 1650	1698	0	225	5000 x 2100 x 2600 11640	7800 x 2500 x 3000 17850	275	69
1700P	1700 - 1870	1930	0	270	5000 x 2100 x 2600 12440	7800 x 2500 x 3000 18650	277	69
1850P	1850 - 2035	2060	0	275	5800 x 2250 x 2600 14640	CONTAINER 40 22350	316	69
2000P	2000 - 2200	2200	0	315	5800 x 2250 x 2600 14640	CONTAINER 40 22350	316	69
2250P	2250 - 2500	2350	0	345	5800 x 2250 x 2600 15440	CONTAINER 40 23150	344	69
2250P	2500 - 2500	2513	0	395	5800 x 2250 x 2600 15740	CONTAINER 40 23450	394	69



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonorizat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
18B	18 - 20	23	0	100	1650 x 850 x 1600 570	1800 x 850 x 1275 745	5	69
23B	23 - 25	30	0	100	1650 x 850 x 1600 585	1800 x 850 x 1275 760	5	69
30B	30 - 33	35	0	100	1650 x 850 x 1600 610	1800 x 850 x 1275 785	7	69
40B	40 - 44	47	0	100	1650 x 850 x 1600 670	2000 x 850 x 1275 840	8	69
45B	45 - 49	57	0	100	1650 x 850 x 1600 670	2000 x 850 x 1275 840	8	69
50B	50 - 55	63	0	100	1650 x 850 x 1600 720	2000 x 850 x 1275 890	10	69
65B	65 - 71	78	0	120	2100 x 1000 x 1800 1100	2300 x 1050 x 1590 1355	11	69
80B	80 - 88	98	0	120	2100 x 1000 x 1800 1245	2300 x 1050 x 1590 1500	16	69
100B	100 - 110	130	0	120	2100 x 1000 x 1800 1270	2300 x 1050 x 1590 1525	19	69
130B	130 - 145	166	0	250	2400 x 1100 x 2000 1665	3200 x 1100 x 2090 1995	25	69
150B	150 - 165	179	0	250	2400 x 1100 x 2000 1700	3200 x 1100 x 2090 2030	30	69
200B	200 - 220	229	0	250	2800 x 1310 x 1800 2080	3700 x 1400 x 2250 2735	38	69
230B	230 - 250	275	0	250	2800 x 1310 x 1800 2180	3700 x 1400 x 2250 2840	42	69
250B	250 - 275	307	0	250	2800 x 1310 x 1800 2180	3700 x 1400 x 2250 2840	45	69
275B	275 - 300	372	0	250	2800 x 1310 x 1800 2400	3700 x 1400 x 2250 3060	46	69
320B	320 - 350	441	0	250	2800 x 1310 x 1800 2400	3700 x 1400 x 2250 3060	52	69
350B	350 - 385	465	0	400	2950 x 1550 x 2100 3245	4300 x 1750 x 2350 4235	65	69
400B	400 - 440	520	0	400	2950 x 1550 x 2100 3380	4300 x 1750 x 2350 4370	64	69
450B	450 - 495	562	0	400	2950 x 1550 x 2100 3430	4300 x 1750 x 2350 4420	70	69
500B	500 - 550	664	0	400	2950 x 1550 x 2100 3490	4300 x 1750 x 2350 4480	78	69
600B*	600 - 660	732	0	400	3450 x 1550 x 2300 5760	5050 x 2150 x 2550 7100	95	69

GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
650B	650 - 715	700	0	400	3450 x 1550 x 2300 5760	5050 x 2150 x 2550 7100	100	69
680B	680 - 750	732	0	400	3450 x 1550 x 2300 5760	5050 x 2150 x 2550 7100	111	69
750B	750 - 825	779	0	400	3450 x 1550 x 2300 6010	5050 x 2150 x 2550 7350	114	69
800B	800 - 880	845	0	400	4100 x 2010 x 2400 6970	5450 x 2200 x 2550 8640	130	69
900B	900 - 990	930	0	400	4100 x 2010 x 2400 7170	5450 x 2200 x 2550 8840	145	69
1000B	1000 - 1100	1059	0	400	4100 x 2010 x 2400 7220	5450 x 2200 x 2550 8890	155	69
1150B	1150 - 1265	1151	0	-	5000 x 2100 x 2600 10290	7800 x 2500 x 3000 16500	175	69
1250B*	1250 - 1375	1305	0	-	5000 x 2100 x 2600 10540	7800 x 2500 x 3000 16750	190	69
1375B	1375 - 1510	1430	0	-	5000 x 2100 x 2600 10940	7800 x 2500 x 3000 17150	215	69
1500B	1500 - 1650	1565	0	-	5000 x 2100 x 2600 13330	7800 x 2500 x 3000 19540	235	69
1750B	1750 - 1925	1769	0	-	5000 x 2100 x 2600 14130	CONTAINER 40 21840	265	69
1800B	1800 - 1980	1957	0	-	5000 x 2100 x 2600 14130	CONTAINER 40 21840	290	69
2050B	2050 - 2255	2366	0	-	5000 x 2100 x 2600 14130	CONTAINER 40 21840	300	69
2250B	2250 - 2475	2546	0	-	5800 x 2250 x 2600 20010	CONTAINER 40 27720	360	69
2500B	2500 - 2750	2815	0	-	5800 x 2250 x 2600 20310	CONTAINER 40 28020	380	69
2750B	2750 - 3025	2950	0	-	5800 x 2250 x 2600 20810	CONTAINER 40 28520	415	69
2800B	2800 - 3080	3100	0	-	7100 x 2650 x 3200 21650	CONTAINER 40 39580	430	69
3000B	3000 - 3300	3200	0	-	7100 x 2650 x 3200 21650	CONTAINER 40 39580	455	69
3250B	3250 - 3575	3500	0	-	7100 x 2650 x 3200 24650	CONTAINER 40 42580	495	69
3750B	3750 - 4125	4000	0	-	7100 x 2650 x 3200 24650	CONTAINER 40 42580	560	69

STAGE V

v625B / v1250B

GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
30F	30 - 33	38	0	100	1650 x 850 x 1600 690	1800 x 850 x 1275 865	5	69
45F	45 - 50	55	0	100	1650 x 850 x 1600 780	2000 x 850 x 1275 900	8	69
50F	50 - 55	60	0	100	1650 x 850 x 1650 825	2000 x 850 x 1275 1000	9	69
60F*	60 - 66	70	0	120	2100 x 1000 x 1800 935	2300 x 1050 x 1590 1190	9	69
80F*	80 - 88	98	0	120	2100 x 1000 x 1800 1090	2300 x 1050 x 1590 1345	15	69
100F*	100 - 110	110	0	120	2100 x 1000 x 1800 1155	2300 x 1050 x 1590 1410	15	69
120F	120 - 132	127	0	120	2100 x 1000 x 1800 1245	2300 x 1050 x 1590 1500	21	69
130F	130 - 143	143	0	250	2400 x 1100 x 2000 1525	3200 x 1100 x 2090 1855	23	69
150F*	150 - 165	155	0	250	2400 x 1100 x 2000 1620	3200 x 1100 x 2090 1950	26	68
170F*	170 - 187	199	0	250	2400 x 1100 x 2000 1670	3200 x 1100 x 2090 2000	28	69
200F*	200 - 220	205	0	250	2400 x 1100 x 2000 1720	3200 x 1100 x 2090 2050	32	69
250F*	250 - 275	289	0	250	2400 x 1100 x 2000 1915	3200 x 1100 x 2090 2245	37	69
300F*	300 - 330	311	0	250	2800 x 1310 x 1800 2660	3700 x 1400 x 2250 3320	50	69
350F	350 - 385	368	0	400	2800 x 1310 x 1800 3100	3900 x 1400 x 2250 3840	55	69
400F*	400 - 440	402	0	400	2800 x 1310 x 1800 3235	3900 x 1400 x 2250 3957	68	69
450F	450 - 495	471	0	400	2950 x 1550 x 2100 3510	4300 x 1750 x 2350 4500	71	69
500F	500 - 550	556	0	400	2950 x 1550 x 2100 3580	4300 x 1750 x 2350 4570	78	69
600F	600 - 660	676	0	400	2100 x 1000 x 1800 4410	4650 x 1750 x 2350 5400	92	69

STAGE IIIA

e60F / e80F / e100F / e150F / e170F / e200F / e250F / e300F / e400F

STAGE V

v60F / v82F / v100F / v150F / v200F

GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES

**VOLVO
PENTA**

Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
200VO	200 - 220	235	II	250	2800 x 1310 x 1800 2010	3700 x 1400 x 2250 2670	34	69
250VO*	250 - 275	290	II	250	2800 x 1310 x 1800 2110	3700 x 1400 x 2250 2770	42	69
300VO*	300 - 330	360	II	250	2800 x 1310 x 1800 2323	3700 x 1400 x 2250 2983	49	69
325VO	325 - 355	360	II	250	2800 x 1310 x 1800 2407	3700 x 1400 x 2250 3067	52	69
350VO	350 - 385	400	II	400	2950 x 1550 x 2100 3265	4300 x 1750 x 2350 4255	54	69
380VO	380 - 418	435	II	400	2950 x 1550 x 2100 3405	4300 x 1750 x 2350 4395	58	69
410VO*	410 - 452	475	II	400	2950 x 1550 x 2100 3405	4300 x 1750 x 2350 4395	65	69
450VO*	450 - 500	520	II	400	2950 x 1550 x 2100 3445	4300 x 1750 x 2350 4435	70	69
500VO*	500 - 550	525	II	400	2950 x 1550 x 2100 3515	4300 x 1750 x 2350 4505	78	69
590VO*	590 - 650	575	II	400	3450 x 1550 x 2300 4490	4850 x 1850 x 2550 5700	90	69
650VO*	650 - 715	675	II	400	3450 x 1550 x 2300 5110	5050 x 2150 x 2550 6450	100	69
700VO	700 - 770	745	II	400	3450 x 1550 x 2300 5360	5050 x 2150 x 2550 6700	108	69
760VO	760 - 835	800	II	400	3450 x 1550 x 2300 5360	5050 x 2150 x 2550 6700	115	69

STAGE IIIA

e250VO / e290VO / e300VO / e365VO / e410VO / e460VO / e500VO / e600VO / e650VO

STAGE V

v250VO / v300VO / v350VO / v400VO / v660VO



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES

DEUTZ

Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonorizat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
20DZ	20 - 22	25	II	55	1400 x 500 x 1400 510	1800 x 850 x 1275 610	4	69
30DZ	30 - 33	37	II	100	1650 x 850 x 1600 645	2000 x 850 x 1275 810	5	69
40DZ	40 - 44	48	II	100	1650 x 850 x 1650 675	2000 x 850 x 1275 850	7	69
60DZ	60 - 66	75	II	100	2100 x 1000 x 1800 1190	2300 x 1050 x 1590 930	10	69
75DZ	75 - 82	88	II	120	2100 x 1000 x 1800 1285	2300 x 1050 x 1590 1540	13	69
100DZ	100 - 110	125	II	120	2100 x 1000 x 1800 1375	2300 x 1050 x 1590 1630	17	69
130DZ	130 - 145	150	II	250	2400 x 1100 x 2000 1485	2830 x 1100 x 2090 1785	21	69
165DZ	165 - 180	190	II	250	2400 x 1100 x 2000 1750	3200 x 1100 x 2090 2080	25	69
180DZ	180 - 200	210	II	250	2800 x 1310 x 1800 2015	3700 x 1400 x 2250 2675	31	69
200DZ	200 - 220	240	II	250	2800 x 1310 x 1800 2060	3700 x 1400 x 2250 2720	35	69
250DZ	250 - 275	288	II	250	2800 x 1310 x 1800 2210	3700 x 1400 x 2250 2870	43	69
315DZ	315 - 345	360	II	400	2950 x 1550 x 2100 2825	4300 x 1750 x 2350 3815	41	69
350DZ	350 - 385	360	II	400	2950 x 1550 x 2100 2905	4300 x 1750 x 2350 3895	50	69
380DZ	380 - 415	400	II	400	2950 x 1550 x 2100 3010	4300 x 1750 x 2350 4000	63	69
450DZ	450 - 495	450	II	400	2950 x 1550 x 2100 4085	4850 x 1850 x 2550 4785	63	69
480DZ	480 - 520	510	II	400	2950 x 1550 x 2100 4145	4850 x 1850 x 2550 4845	68	69
510DZ	510 - 560	580	II	400	2950 x 1550 x 2100 4200	4850 x 1850 x 2550 4900	85	69



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES

SCANIA

Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
250S*	250 - 275	295	0	250	2800 x 1310 x 1800 2470	3700 x 1400 x 2250 3130	38	69
280S*	280 - 305	325	0	250	2800 x 1310 x 1800 2685	3700 x 1400 x 2250 3345	42	69
300S*	300 - 330	350	0	250	2800 x 1310 x 1800 2685	3700 x 1400 x 2250 3345	45	69
330S*	330 - 360	380	0	250	2800 x 1310 x 1800 2770	3700 x 1400 x 2250 3430	49	69
375S	375 - 410	430	0	400	2950 x 1550 x 2100 3230	4500 x 1750 x 2350 4220	54	69
410S*	410 - 450	475	0	400	2950 x 1550 x 2100 3280	4500 x 1750 x 2350 4220	60	69
450S*	450 - 495	525	0	400	2950 x 1550 x 2100 3345	4500 x 1750 x 2350 4270	66	69
500S*	500 - 550	570	0	400	2950 x 1550 x 2100 4430	4500 x 1750 x 2350 4335	72	69
555S*	555 - 610	635	0	400	3450 x 1550 x 2300 4680	5050 x 2150 x 2550 5770	83	69
600S	600 - 660	640	0	400	3450 x 1550 x 2300 4680	5050 x 2150 x 2550 6020	90	69
625S	625 - 685	650	0	400	3450 x 1550 x 2300 4680	5050 x 2150 x 2550 6020	93	69
640S	640 - 710	685	0	400	3450 x 1550 x 2300 4680	5050 x 2150 x 2550 6020	95	69
650S	650 - 715	690	0	400	3450 x 1550 x 2300 4680	5050 x 2150 x 2550 6020	98	69
700S	700 - 770	740	0	400	3450 x 1550 x 2300 4930	5050 x 2150 x 2550 6270	105	69
730S	730 - 805	800	0	400	3450 x 1550 x 2300 4930	5050 x 2150 x 2550 6270	110	69

STAGE IIIA

e250S / e280S / e300S / e330S / e365S/ e410S / e500S / e550S

STAGE V

v250S / v275S / v300S / v330S / v350S / v400S / v450S / v500S / v550S

GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abierto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	KVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
1050MH	1050 - 1155	1193	0	400	5000 x 2100 x 2600 10020	6680 x 2200 x 3250 11520	161	69
1280MH	1280 - 1408	1447	0	400	5000 x 2100 x 2600 11100	6680 x 2200 x 3250 12600	205	69
1380MH	1380 - 1518	1561	0	400	5000 x 2100 x 2600 11500	6680 x 2200 x 3250 13000	215	69
1550MH	1550 - 1700	1741	0	-	5000 x 2100 x 2600 13440	7800 x 2500 x 3000 20000	245	69
1720MH	1720 - 1892	1943	0	-	5800 x 2250 x 2600 14530	CONTAINER 40 22240	260	69
1900MH	1900 - 2090	2113	0	-	5800 x 2250 x 2600 14530	CONTAINER 40 22240	300	69
2000MH	2000 - 2200	2257	0	-	5800 x 2250 x 2600 14530	CONTAINER 40 22240	320	69
2250MH	2250 - 2475	2546	0	-	5800 x 2250 x 2600 16630	CONTAINER 40 24040	350	69
2500MH	2500 - 2750	2690	0	-	5800 x 2250 x 2600 16630	CONTAINER 40 24340	395	69



GENERADORS INDUSTRIALS / GENERADORES INDUSTRIALES



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abieto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
v8,5Y	8 - 9	10	V	55	1400 x 500 x 1400 355	1580 x 700 x 1050 445	2	68
v13Y	13 - 14	16	V	100	1400 x 500 x 1400 435	1800 x 850 x 1275 610	3	69
v18Y	18 - 20	22	V	100	1400 x 500 x 1400 460	1800 x 850 x 1275 635	4	69
e33Y	33 - 36	41	IIIA	100	1650 x 850 x 1650 610	1800 x 850 x 1275 785	5	69
e35Y	35 - 38	45	V	100	1650 x 850 x 1650 655	2000 x 850 x 1275 830	6	69
40Y	40 - 44	50	II	100	1650 x 850 x 1650 665	2000 x 850 x 1275 840	7	69
e41Y	41 - 45	51	IIIA	100	1650 x 850 x 1650 655	2000 x 850 x 1275 840	8	69
e43Y	43 - 48	55	V	100	1650 x 850 x 1650 700	2000 x 850 x 1275 875	8	69



Model Modelo	Potencia	Motor	EU Emission	Dipòsit Deposito	G.Obert G.Abieto	G.Insonoritzat G.Insonorizado	Consum Consumo	Sonoritat Sonoridad
	kVA	CV	STAGE 0 / II / IIIA / V	L	mm (L x A x Al) / Kg	mm (L x A x Al) / Kg	% 75 Cap (LxH)	dB
v5LW	5 - 5.5	6	V	55	1400 x 700 x 1400 325	1580 x 700 x 1050 415	1	68
v7.5LW	7.5 - 8.5	10	V	55	1400 x 700 x 1400 345	1580 x 700 x 1050 435	2	69
v10LW	10 - 12	13	V	55	1400 x 700 x 1400 360	1580 x 700 x 1050 450	2	69
v20KH	20 - 22	24	V	55	1400 x 700 x 1400 485	1580 x 700 x 1050 575	4	69
e25KH	25 - 28	29	IIIA	55	1400 x 700 x 1400 530	1580 x 700 x 1050 620	4	69
v33KH	33 - 36	37	V	100	2100 x 1000 x 1800 785	2300 x 1050 x 1590 1040	6	69
v45KH	45 - 50	48	V	100	2100 x 1000 x 1800 845	2300 x 1050 x 1590 1100	8	69